



RAD 7150-EE-01

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204 Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 18 July.95	3. REPORT TYPE AND DATES COVERED Final 1 Aug.93 - 31 Jul.94		
4. TITLE AND SUBTITLE Contribution to the EUROCAP Program from the DOURBES Ionospheric Station		5. FUNDING NUMBERS DAJA45-93-C-0042		
6. AUTHOR(S) Dr. J.C. JODOGNE				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Royal Meteorological Institute of Belgium		8. PERFORMING ORGANIZATION REPORT NUMBER us94f		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) see 7		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
<div style="text-align: center;">  </div>				
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT		12b. DISTRIBUTION CODE		
<div style="text-align: center;">  </div> <p>Vertical soundings were recorded hourly with the Digisonde 256 and the Artist facility during the above mentioned period. During these twelve months, the Digisonde 256 worked perfectly. Interruptions of the recording were mainly due to important thunderstorms on the 3rd &amp; 4th of November and on the 8th &amp; 9th of December when the main 5V power supply failed. Some other data for days after the end of the contract were sent.</p>				
13. ABSTRACT (Maximum 200 words)				
14. SUBJECT TERMS Ionospheric HF soundings; electron density distribution; Dourbes (Belgium)		15. NUMBER OF PAGES		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION UNCLASSIFIED	18. SECURITY CLASSIFICATION see THIS PAGE	19. SECURITY CLASSIFICATION see ABSTRACT	20. LIMITATION OF ABSTRACT	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std. Z39-18  
298-102

19950807 018

DTIC QUALITY INSPECTED 8

• Contribution to the EUROCAP Program from the DOURBES Ionospheric Station

Prp. Investigator: J.C.JODOGNE

Institut Royal Météorologique de Belgique

DAJA45 - 93 - C - 0042

Final Report

Augustus 1993 to July 1994

The Research reported in this document has been made possible through the support and sponsorship of the U.S. Government through its European Research Office of the U.S.Army. ~~This report is intended only for the internal management use of the Contractor and U.S. Government.~~

Accession For	
RTIS GRADE	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
<i>perform SO</i>	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
<i>A-1</i>	

## Final Report on EUROCAP Program from DOURBES Station

---

The Dourbes Station use a Digisonde 256 with an Automatic Real Time Ionogram Scaler with True Height (from University of Massachusetts, Lowell, Center of Atmospheric Research) in order to provide the scaled parameters of the hourly ionograms (see Final Report of the contract DAJA45 - 90 -0036 for other details on the system). From the recorded data on cartridges, a software program called ADEP (also from University of Lowell, Center of atmospheric Research) allows editing the ionograms and extracting the main parameters which are recorded in Ascii files on 5.25 diskettes AT compatible.

The digital sounder worked very well during this period and all data are of good quality. Interruptions of the recording were mainly due to important thunderstorms on the 3rd & 4th of November and on the 8th & 9th of December when the main 5V power supply failled. This power supply was replaced and the soundings were resumed as soon as possible.

All the data covering the period were sent to Mr F.Gorman, U.S.Army Communications-electronics Command; the last one on March 6th, 1995.

Dr.J.-C. Jodogne

Annex:

-----  
(a) No funds remains on the contract at the end of the period covered by the report. The total funding is spent.

(b) No property were acquired with contract funds during this period

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204 Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 18 July.95	3. REPORT TYPE AND DATES COVERED Final 1 Aug.93 - 31 Jul.94		
4. TITLE AND SUBTITLE Contribution to the EUROCAP Program from the DOORBES Ionospheric Station		5. FUNDING NUMBERS DAJA45-93-C-0042		
6. AUTHOR(S)  Dr.J.C.JODOGNE				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Royal Meteorological Institute of Belgium		8. PERFORMING ORGANIZATION REPORT NUMBER  us94f		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  see 7		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words)  Vertical soundings were recorded hourly with the Digisonde 256 and the Artist facility during the above mentioned period. During these twelve months, the Digisonde 256 worked perfectly. Interruptions of the recording were mainly due to important thunderstorms on the 3rd & 4th of November and on the 8th & 9th of December when the main 5V power supply failed. Some other data for days after the end of the contract were sent.				
14. SUBJECT TERMS Ionospheric HF soundings;electron density distribution; Dourbes(Belgium)		15. NUMBER OF PAGES 7		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE see 17	19. SECURITY CLASSIFICATION OF ABSTRACT see 17	20. LIMITATION OF ABSTRACT	

Contribution to the EUROCAP Program from the DOURBES Ionospheric Station

Prp. Investigator: J.C.JODOGNE.

Institut Royal Météorologique de Belgique

DAJA45 - 93 - C - 0042

Final Report

Augustus 1993 to July 1994

The Research reported in this document has been made possible through the support and sponsorship of the U.S. Government through its European Research Office of the U.S.Army. This report is intended only for the internal management use of the Contractor and U.S. Government.

## Final Report on EUROCAP Program from DOURBES Station

---

The Dourbes Station use a Digisonde 256 with an Automatic Real Time Ionogram Scaler with True Height (from University of Massachusetts, Lowell, Center of Atmospheric Research) in order to provide the scaled parameters of the hourly ionograms (see Final Report of the contract DAJA45 - 90 -0036 for other details on the system). From the recorded data on cartridges, a software program called ADEP (also from University of Lowell, Center of atmospheric Research) allows editing the ionograms and extracting the main parameters which are recorded in Ascii files on 5.25 diskettes AT compatible.

The digital sounder worked very well during this period and all data are of good quality. Interruptions of the recording were mainly due to important thunderstorms on the 3rd & 4th of November and on the 8th & 9th of December when the main 5V power supply failled. This power supply was replaced and the soundings were resumed as soon as possible.

All the data covering the period were sent to Mr F.Gorman, U.S.Army Communications-electronics Command; the last one on March 6th, 1995.

Dr.J.-C. Jodogne

Annex:

-----  
(a) No funds remains on the contract at the end of the period covered by the report. The total funding is spent.

(b) No property were acquired with contract funds during this period